

STRATUS XT **EXTERIOR SATIN 5204XX**

Exterior Siding & Trim Paint

Built to protect your home or building from our Pacific Northwest weather, Stratus XTTM is a 100% acrylic exterior coating with good color retention and durability. Formulated for our climate, Stratus XTTM is ideal for use on any commercial or residential building year round. Easy to apply by brush, roller, or sprayer, Stratus XTTM is suitable for most exterior substrates including properly prepared wood, concrete, stucco, metals, and manufactured siding. Designed to withstand climate shifts from extreme heat to high humidity, Stratus XT[™] is a versatile exterior coating available in Flat, Velvet, and Satin sheens.

Resin:	Acrylic	Weight Per Gallon:	10.4
Color Range:	White and Custom Tints	Solids by Weight:	48% ± 2%
Finish:	10-20 @ 60°	Solids by Volume:	36% ± 2%
	30-40 @ 85° Gloss Level 1	Recommended Film	Wet: 4 - 5 mils
Drying Time:	To Touch: 1 Hour	Thickness:	Dry: 1.5 - 2 mils
(70° F & 50% R.H.)	To Recoat: 2 Hours	Practical Coverage:	250 - 400 FT ² Per Gallon
Clean Up:	Soap & Water	VOC:	<50 g/L*
Sizes: Gallons, Fives		*Maximum VOC content for non-tinted paint base is less than 50 g/L (40 CFR 59.406). VOC content	
Tint Bases: White 520410	Deep 520425 Neutral 520440	may increase after tinting product.	

REGULATORY COMPLIANCE

Architectural and Industrial Maintenence Coating (AIM - EPA) South Coast Air Quality Management District (SCAQMD) California Air Resources Board (CARB)

SURFACE PREPARATION

General:

All surfaces must be firm, dry and cleaned free of loose paint, dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. De-gloss shiny surfaces by lightly sanding[†]. Repair cracks and fill voids. +See warning for existing lead-based paint under Precautions.

New Surfaces:

Follow general surface preparation guidelines. New concrete or stucco must cure for 30 days prior to coating. Moisture content should be less than 12 % as measured with a moisture meter and the pH should be between 7 and 11. Remove all laitance and efflorescence before priming with the appropriate primer.

Previously Painted Surfaces:

Follow general surface preparation guidelines. Remove loose or failing paint and spot prime bare areas or entire surface with the appropriate primer. Hard, glossy surfaces may require sanding and/or a bonding primer. Spraying and Backrolling recommended on new flat work. To avoid lap marks,

Greenseal GS-11 Standard	
MPI #15	

RECOMMENDED PRIMERS

Concrete, Stucco, and Masonry:	Ph Surfacer Int/Ext Alkali Resistant Primer 620011
Concrete Block:	Block Filler 481011
Wood:	All Purpose Int/Ext Stain Blocking Primer 470011
Ferrous Metal, Galvanized Metal, or Aluminum:	Acrimetal DTM Low Sheen Primer/Finish 310210 All Purpose Int/Ext Stain Blocking Primer 470011
Gypsum Wallboard:	All Purpose Int/Ext Stain Blocking Primer 470011 Ph Surfacer Int/Ext Alkali Resistant Primer 620011

OTHER PRIMERS MAY BE APPROPRIATE. CONTACT MILLER PAINT FOR MORE INFORMATION.

	ge. Keep product from freezing.	
	APPLICATION	THINNING
Brush: Roller: Airless Spray:	Nylon/Polyester Brush 3/8" - 3/4" Nap Synthetic Cover .017"021" Tip Size	Apply at can consistency. If thinning is necessary to maintain workability, do not exceed one-half pint of water per gallon. Stir product thoroughly.
Surface temper	ature should be at least 5°F above dew point. Do not paint	olication and for 48 hours after application. Humidity should be below 80%. t if temperatures are expected to drop below 35°F. Do not paint late in the metal surfaces should be painted in temperatures above 50°F.
PRECAUTIO	NS	
AGE, ESPECIALLY IN	CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE. Wear a N	t. LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAM IOSH-approved respirator to control lead exposure. Carefully clean up with a wet mop or HEPA 6. EPA/Lead Information Hotline at 1-800-424-LEAD (5323) or log on to www.epa.gov/lead.
Avoid contact with e Data Sheet for this p		g. Close container after each use. For additional safety information, consult the Material Safety
U	SE ONLY WITH ADEQUATE VENTILATION	KEEP OUT OF REACH OF CHILDREN
WARRANTY		
date of purchase , ti presentation of origi preparation or applie and is your sole and OR CONSEQUENTIAL	hen Miller Paint Co., Inc. will either provide an equivalent paint product in a inal proof of purchase. This warranty, which excludes failure due to deterio cation of the product, extends only to the owner of the single-family home to exclusive remedy. THIS WARRANTY DOES NOT INCLUDE LABOR OR THE CO	ordance with label instructions and technical data sheets, blisters or peels within 15 years from th an amount sufficient for repair free of charge, or refund the original purchase price, but only upor ration of the underlying surface, structural defects or failure of previous paint, inadequate surface or which the paint was applied during such owner's occupancy, may not be transferred or assigned IST OF LABOR FOR THE APPLICATION OF ANY PRODUCT, AND EXCLUDES ANY INCIDENTAL, SPECIA Idential damages, so the limitation may not apply to you. This warranty gives you specific legal right
DISPOSAL		

Never pour leftover coating down any sink or drain - use up material on the job or seal can and store safely for future use. Do not incinerate closed containers. For specific disposal or recycle guidelines, contact your local waste management agency or district. Please re-use or recycle.