

SAFETY DATA SHEET (SDS)

1. PRODUCT AND COMPANY IDENTIFICATION

PROUDCT IDENTIFICATION:

Product Name:	HP MAX
Product Numbers:	321-3-21 Eggshell White Base
	321-3-40 Eggshell Neutral Base
	321-4-21 Satin White Base
	321-4-40 Satin Neutral Base
	321-5-21 Semigloss White Base
	321-5-40 Semigloss Neutral Base

Product Use: Water-thinned Paint

MANUFACTURER/SUPPLIER INFORMATION:

Miller Paint Company, Inc.		
12812 NE Whitaker Way		
Portland, Oregon 97230		
www.millerpaint.com		
Manufacturer's Phone: 503.255.0190		
Emergency (24-hour) Phone:	800.424.9300	
Date of preparation:	May 9, 2024	
Date of previous issue:	N/A	

2. HAZARDS IDENTIFICATION

GHS Classification:

Skin Sensitization: Category 1

GHS Label Element: Hazardous Pictogram



May cause an allergic skin reaction.

Hazard Classification

Trace amounts of this material is considered hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Precautionary Statements

Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves If on skin, wash with plenty of soap and water If skin irritation or rash occurs, get medical advice/attention Wash contaminated clothing before reuse

3. COMPOSITION / INFORMATION ON INGREDIENTS

REPORTABLE COMPONENTS	CAS NUMBER	% by WEIGHT
Water	7732-18-5	<30
Acrylic Emulsion	Proprietary	> 50
Polyurethane Resin	Proprietary	2-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

4. FIRST AID MEASURES

Eyes:	Flush eyes thoroughly with water for 15-20 minutes while holding eyelids apart. If eye
	irritation persists, call a physician.
Skin:	Wash skin with soap and water. Wash contaminated clothing before reuse. If skin
	irritation persists, call a physician.
Inhalation:	Move to fresh air. If victim is not breathing, give artificial respiration. If victim's breathing
	is difficult, give oxygen. Call a physician.
Ingestion:	Do not induce vomiting. Immediately give victim 2 glasses of water. Never give anything
	to an unconscious person.

5. FIRE FIGHTING MEASURES

Flammable Properties: Extinguishing Media:	This product is not flammable, not combustible. Use foam, carbon dioxide, dry powder, water fog, or an extinguishing agent appropriate for the surrounding fire.
Unusual Fire and Explosion Hazards:	Closed containers may rupture or explode when exposed to extreme heat (due to build-up of pressure). During emergency conditions, overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent. Obtain medical attention.
Protective Equipment:	Firefighters should wear self-contained breathing apparatus and full protective gear.
Thermal Decomposition:	Thermal decomposition may yield acrylic monomers.

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material is Released or Spilled: Soak up with sawdust, sand, oil dry or other absorbent material. Transfer liquids and solid diking material to separate suitable containers for recover or disposal. Prevent material from entering sewers, waterways, or low areas. Spills should be contained, solidified and placed in suitable containers for disposal.

Personal Precautions: Use appropriate Personal Protective Equipment during clean-up. Keep people away from and upwind of spill/leak. Material can create slippery conditions. Avoid contact with skin and eyes.

Environmental Precautions: Do not release untreated into natural waters.

7. HANDLING AND STORAGE

Handling:	Avoid breathing vapors or mist. Avoid contact with eyes, skin, or clothing. Washing
	thoroughly after handling. Wash clothing after use. Do not store or consume food, drink,
	or tobacco in areas where they may become contaminated with this material. Ensure
	adequate ventilation.
Storage:	Store temperatures: 34°F – 95°F. Keep from freezing – product stability may be
	affected. Stir well before use. Keep container tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Use only with adequate ventilation.

Personal Protection – Routine Handling	
Eye/Face Protection:	Chemical Goggles.
Hand Protection:	Chemical resistance protective gloves.
Respirator Protection:	Wear respirator protection if ventilation is inadequate.
Protective Clothing / Skin Contact:	Hands and face should be washed before breaks and at
	the end of the shift. Avoid contact with skin and eyes.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor:	Milky liquid, Slight Odor
pH:	8.5
Boiling Point:	212°F Water
Solubility (water):	Miscible
VOC:	<100 g/L
Clear Base / Neutral Specific Gravity:	1.058 g/cm ³
White Base Specific Gravity:	1.21 g/cm ³

10. STABILITY AND REACTIVITY

Chemical Stability:	Stable under normal conditions.	
Reactivity:	No hazardous reactions if store and handled as	
	prescribed/intended.	
Materials to Avoid:	Metal and salts.	
Conditions to Avoid:	Freezing temperatures and excessive heat.	

Hazardous Decomposition Products: Hazardous Polymerization: Carbon dioxide, carbon monoxide, hydrocarbons. Will not occur.

11. TOXICOLOGICAL INFORMATION

No known applicable information.

12. ECOLOGICAL INFORMATION

No known applicable information.

13. DISPOSAL CONSIDERATIONS

Environmental Precautions: CAUTION: Keep spills and cleaning runoff out of the municipal sewers and open bodies of water.

Disposal Instructions:Dispose of in accordance with Local, State and Federal Regulations.
Regulations may vary in different locations. DO NOT DUMP INTO ANY
SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

MILLER PAINT CO. HAS NO CONTROL OVER THE MANAGEMENT PRACTICES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTEDNED CONDITION AS DESCRIBED IN SDS SECTION 3: HAZARDOUS INGREDIENTS.

14. TRANSPORT INFORMATION CONSIDERATIONS

DOT PROPER SHIPPING NAME:	Not regulated.
IATA PROPER SHIPPING NAME:	Not regulated.
IMO PROPER SHIPPING NAME:	Not regulated (not dangerous for transport).

Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations.

15. REGULATORY INFORMATION

STATE REGULATIONS: CALIFORNIA

California Proposition 65: (Safe Drinking Water and Toxic Enforcement Act of 1986):

There are no chemicals present known to the state of California to cause cancer or reproductive toxicity.

US FEDERAL REGULATIONS

SARA 313

Section 313 of Title II of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

TITLE III HAZARD CLASSIFICATIONS SECTIONS 311, 312

Acute:NoChronic:NoFire:NoReactivity:NoPressure:No

CERCLA: This product does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation AND Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

16. OTHER INFORMATION

NFPA	Health Hazards 1	Flammability 0 Instability 0	
HMIS	Health Hazards 1	Flammability 0 Instability 0	Personal Protection X

USERS RESPONSIBILITY: A bulletin such as this cannot be expected to cover all possible individual situations. As the user has the responsibility to provide a safe workplace, all aspects of an individual operation should be examined to determine if, or where, precautions, in addition to those described herein, are required. Any health hazard and safety information herein should be passed on to your customers or employees, as the case may be.

Prepared by: Miller Paint Technical & Compliance Department

DISCLAIMER: To the best of our knowledge, the information contained herein is accurate, but no representation, guarantee or warranty, expressed or implied, is made as to the accuracy, reliability or completeness of the information. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Miller Paint Co. urges persons receiving this information to make their own determination as to the information's suitability and completeness for their particular application. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.